


water treatment control solutions




bürkert
FLUID CONTROL SYSTEMS



customized control solutions for water treatment

Water Treatment



chemical injection solutions



conductivity control solutions



custom dosing solutions

equipment for the water treatment industry

flow control solutions



8030/8020/8025 frequency flow transmitter 1/2" - 16" brass, ss, pvdf, pp, pvc



8012 OEM blind flow transmitter, pulse &/or 4-20mA, 1/4" - 2 1/2", 230 psi



8032 flow switch/ transmitter/ monitor 1/2" - 2" brass, ss, pvdf, pp, pvc



8035 flow transmitter/ switch/ monitor/ totalizer brass, ss, pvdf, pp pvc 1/2" - 2"



8070 PD flow meter 1/2" - 3", 800 psi aluminum & ss



8035 batch controller totalizer brass, ss, pvdf, pp, pvc 1/2" - 2"



8045/8041 insertion magnetic flow meter 1/2" - 16" 230psi, 230F



8055 full bore magnetic flow meter 1/8" - 56"

level control solutions



8110 SS tuning fork level switch 3/4" - 1", 900 psi



8170 remote wall or panel, 2" NPT 1 - 23 ft measuring distance, 66ft max cable length



8175 compact ultrasonic level transmitter 1 - 33 ft measuring distance



8326 hydrostatic level transmitter, scaleable 4-20mA output, +/- .15% accuracy



BC-10 submersible hydrostatic pressure transmitter, 100 inwc - 300 ft

pressure control solutions



8323 Industrial 30" VAC-400psi, .25% accuracy




8311 switch / monitor/ transmitter, +/- 1% accuracy 0 - 725 psi



8326 high accuracy transmitter, scaleable 4-20mA output, +/- .15% accuracy 0 - 580 psi



8314 low cost OEM transmitter, 0-1450 psi, accuracy +/- .3%FS, 1/4" NPT



batch control solutions



filter monitoring systems



ph control solutions

process valve solutions



6213 general purpose water solenoid, 3/8" - 2" Brass, SS, 0-145 psi, -22F - 250F



5282 industrial SOV for aggressive and slightly contaminated fluids, 2.8 psi to 140 psi, 32F - 194F, 1/2" - 2" NPT



2031 SS & 2030 PVC Pneumatic Diaphragm Valve, 1/2" - 4", 0 - 140 psi



2000 pneumatic angle isolation valve for water/air/stream, 0 - 230psi, 3/8" - 2 1/2" 14F - 356F



8630 top control with integral closed loop PID controller



2712 globe valve, 14F - 356F, 3/8" - 4", 0-230 psi



142 plastic solenoid valve, pvc, pvdf, pp, 1/2" - 2", 7 psi - 85 psi

temperature control solutions



8400 temperature switch/transmitter/monitor 1/2" NPT, 0 - 230 psi, max temp 256F

analytical control solutions



8205 PH Transmitter & PID controller, 0 - 14 PH, pulse output for control, 4-20mA



8206 ORP Transmitter & on/off controller, remote or compact



8225 Conductivity Transmitter & on/off controller remote or compact .05 S - 200mS



Remote Wall Mount pH, conductivity & ORP



8226 Inductive Conductivity, pH, conductivity & ORP 100 ms/cm - 2 S/cm



Remote Panel Mount pH, conductivity & ORP



ST21 100 ohm RTD or Blind 4-20mA Transmitter

water treatment questionnaire

Company Name: _____
Address: _____

Phone: _____
Fax: _____
Email: _____
Contact Person: _____
Decision Maker: _____
Other (Purchasing): _____
When is this project budgeted for purchasing? _____
When is quote due? _____
Who gets the original? _____
How many copies are needed? _____
Are additional copies needed at other locations? Yes No
If so, please list addresses: _____

What is the wastewater volume? _____ GPM _____ GPD _____ Production hours

Future expansion? Yes No
Do you have a current discharge analysis? Yes No
If yes, may we have a copy? Yes No
Do you have a copy of your discharge limits? Yes No
Are you experiencing difficulties meeting your limits? Yes No
If yes, what are the specific problems? _____

Do you want installation included in quote? Yes No

Process Description: _____

Is there an existing system? Yes No
If yes, please describe the existing system: _____

What type of Treatment do you use now? _____

Are technologies involving new processes and/or equipment something you would seriously consider? Yes No

Are compliance issues something the company is willing to budget funds for? Yes No

Additional Comments: _____

